

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

CECI 90

IN-GROUND



Drive-over in-ground luminaries with no visible screws, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Round or square shape available with several cover versions. Supplied as standard with TÜV-CB certified, long-life, efficient and Kelvin settable **GU10 LED lamp included**. Insulation class II, Protection rating IP67.

Apparecchio per incasso a terra carrabile e senza viti a vista, realizzato in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con forma quadrata o circolare in diverse versioni di cover. Fornito con inclusa lampadina a LED GU10 con Kelvin impostabile certificata TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP67.



1F1.000.U1K

CCT SETTABLE

2700 K 4000 K

SDCM <3





CECI 90 - COMPONENTS

IP67




COVER with no visible screws made of shockproof resin material, UV rays stabilized, rust and corrosion free. Round or square design, 2 or 3 light versions available for a diffuse or directed light emission.

COVER senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile nelle versioni quadrata o ad anello, a 2 aperture e a 3 aperture per permettere un'emissione della luce diffusa o direzionata.

DIFFUSER made of high impact and high-pressure load resistant resin material (PC), complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambience.

DIFFUSORE in resina antiurto altamente resistente al carico (PC), completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



HOUSING made of shockproof resin material, provided with double holes and double watertight cable glands for safe connecting cable.

CASSA realizzata in resina antiurto, provvista di doppi fori e doppio pressacavo a tenuta stagna, per consentire in maniera sicura l'ingresso e l'uscita delle connessioni elettriche.

INSTALLATION HOUSING made of shockproof resin material to be fixed into the ground before installing the luminaires.

CONTRO-CASSA in resina antiurto da fissare al suolo prima dell'installazione degli apparecchi.

CECI 90



Dimensions and weight

Installation housing depth: 127 mm
Diameter: Ø 92 mm
Weight: 0,35 Kg

Cover colours:

Black Grey

Diffuser PC:

Frosted
Blue Green Orange

LED LAMPS





Comply with: EU2019/2015
EU2019/2020
Technical details on page 636.

GU10 LED

100 - 240 V




LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	COLOUR TEMP.	*ADD. SUFFIX
 GU10 LED	3,5W	366 Lm	4000 K	.U1K
			2700 K	
 GU10 LED	6W	615 Lm	4000 K	.L1K
			2700 K	

In-ground supplied as standard with TÜV-CB certified, long-life, efficient and Kelvin settable GU10 LED lamp included. Different wattage available. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** GU10 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

3.5W = **35W**
366 Lm = **HALOGEN**

SAVE 90%




6W = **50W**
615 Lm = **HALOGEN**

SAVE 88%



CCT SETTABLE LED LAMP



CCT switch settable in two different positions, to select the desired Kelvin temperature (2700K/4000K) and get a customized ambience.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

CECI 90

IN-GROUND





MADE IN ITALY



CECI 90

3,5W		1F1.000.U1K
6W		1F1.000.L1K

CCT SETTABLE GU10 LED LAMP INCLUDED
2700K/4000K






Pcs 40
Kg 13,7
mc 0,084

CECI 90-3L

3,5W		1F3.000.U1K
6W		1F3.000.L1K

CCT SETTABLE GU10 LED LAMP INCLUDED
2700K/4000K






Pcs 40
Kg 13,7
mc 0,084

CECI 90-2L

3,5W		1F2.000.U1K
6W		1F2.000.L1K

CCT SETTABLE GU10 LED LAMP INCLUDED
2700K/4000K






Pcs 40
Kg 13,7
mc 0,084

CECI 90-SQ

3,5W		1F4.000.U1K
6W		1F4.000.L1K









CCT SETTABLE GU10 LED LAMP INCLUDED
2700K/4000K



Pcs 40
Kg 13,7
mc 0,084

AVAILABLE COLORS


COVER (MOULDED COLOURS)	DIFFUSER
<p>BLACK (A)</p> 	<p>PROSTED (X)</p> 
<p>GREY (L)</p> 	<p>BLUE (U) GREEN (N) ORANGE (R)</p> 












CECI 120 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT



CECI 120




LED
 GX53 LAMP INCLUDED



3W	4000K	2F1.000.G1L
3000K		2F1.000.G1R

Master box: 36pcs



CECI 120-2L




LED
 GX53 LAMP INCLUDED



3W	4000K	2F2.000.G1L
3000K		2F2.000.G1R

Master box: 36pcs


CECI 120-3L




LED
 GX53 LAMP INCLUDED



3W	4000K	2F3.000.G1L
3000K		2F3.000.G1R




Master box: 36pcs



CECI 120-SQ







LED
 GX53 LAMP INCLUDED

3W	4000K	2F4.000.G1L
3000K		2F4.000.G1R

Master box: 36pcs



CECI 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	7W	800Lm	100-240V 50/60 Hz	4000K	= 75W INCANDESCENT
				3000K	
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
				3000K	

CECI 160

LED
GX53
LAMP
INCLUDED

7W	4000K	3F1.000.C1L
	3000K	3F1.000.C1R
10W	4000K	3F1.000.D1L
	3000K	3F1.000.D1R

Master box: **18pcs**

DRIVE-OVER

CECI 90, CECI 120, CECI 160

CECI 160-2L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F2.000.C1L
	3000K	3F2.000.C1R
10W	4000K	3F2.000.D1L
	3000K	3F2.000.D1R

Master box: **18pcs**

DRIVE-OVER

CECI 90-2L, CECI 120-2L, CECI 160-2L

CECI 160-3L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F3.000.C1L
	3000K	3F3.000.C1R
10W	4000K	3F3.000.D1L
	3000K	3F3.000.D1R

Master box: **18pcs**

DRIVE-OVER

CECI 90-3L, CECI 120-3L, CECI 160-3L

CECI 160-SQ

LED
GX53
LAMP
INCLUDED

7W	4000K	3F4.000.C1L
	3000K	3F4.000.C1R
10W	4000K	3F4.000.D1L
	3000K	3F4.000.D1R

Master box: **18pcs**

DRIVE-OVER

CECI 90-SQ, CECI 120-SQ, CECI 160-SQ