

GARDEN REVIVAL  
GARDEN CLASSIC  
BOLLARD  
UP&DOWN  
DOWNLIGHT  
IN-GROUND  
BRICKLIGHT  
FLOODLIGHT  
BULKHEAD  
SOLAR  
URBAN CLASSIC  
URBAN REVIVAL  
URBAN MODERN  
POST  
LAMPS

# LIVIA 180

DOWNLIGHT



LED ceiling surface downlight with no visible screws, suitable for outdoor and indoor installations. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied with TÜV-CB certified, long-life, efficient and Kelvin settable **E27 high power LED lamps included**. Insulation class II, protection rating IP44.

*Lampada a soffitto senza viti a vista adatta sia ad uso esterno che interno. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Completa di lampadine a LED E27 ad ALTA POTENZA, con Kelvin impostabile certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP44.*



4A9.000.Q1K

E27 HIGH POWER LED

**INDOOR & OUTDOOR USE**

+80°C  
-30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT


DRIVER SILICONE PROTECTION

**CCT SETTABLE**

3000 K 4000 K

SDCM <6



**LIVIA 180 - COMPONENTS**

IP44



**BASE** made of shockproof resin material suitable for the electrical devices fixation and provided complete with E27 lampholder. Designed to allow a correct heat dissipation.

*BASE in resina antiurto predisposta per il fissaggio degli accessori elettrici e fornita completa di portalamпада E27. Progettato per permettere una corretta dissipazione del calore.*


**DIFFUSER** with frosted finishing made of shockproof resin material (PC).

*DIFFUSORE satinato in resina antiurto (PC).*

**COVER** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Quick and easy locking system to the base without screws.

*COVER realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Sistema di aggancio alla base facile e veloce senza l'ausilio di viti.*

**LIVIA 180**



**Dimensions and weight**

Diameter: Ø180 mm  
Height: 200 mm  
Weight: 1,10 Kg

**Moulded colours:**

Black White Grey

**Diffuser PC:**

Frosted

**LED LAMPS**



Comply with: EU2019/2015  
EU2019/2020  
Technical details on page 636.

**E27 HIGH POWER LED**

**100 - 240 V**



LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
	15 W*	1690 lm	4000 K	.R1K
			3000 K	
	30 W*	3620 lm	4000 K	.Q1K
			3000 K	


Ceiling surface downlight supplied with TÜV certified, long-life, efficient and Kelvin settable E27 high power LED lamp included. Different wattages available. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** E27 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

15W 1690 Lm = 100W incandescent  
SAVE 85%

30W 3620 Lm = 50W HQI-SON  
SAVE 40%

**CCT SETTABLE LED LAMP\***




CCT switch settable in two different positions, to select the desired Kelvin temperature (3000K/4000K) and get a customized ambiance.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# LIVIA RANGE

## DOWNLIGHT





LIVIA 60		
1A9.000.Z1L	<b>1,7W</b>	1A9.000.Z1R
4000K	G9 LED LAMP INCLUDED	3000K
Pcs 75 Kg 8,4 mc 0,057		

LIVIA 90	
<b>3,5 W</b>	2A9.000.U1K
<b>6 W</b>	2A9.000.L1K
CCT SETTABLE GU10 LED LAMP INCLUDED 2700K/4000K	
Pcs 30 Kg 12,6 mc 0,09	

LIVIA 160	
<b>3W</b>	3A9.000.G1K
<b>10W</b>	3A9.000.D1K
CCT SETTABLE GX53 LED LAMP INCLUDED 3000K/4000K/6500K	
Pcs 18 Kg 15,3 mc 0,092	

LIVIA 180	
<b>15W</b>	4A9.000.R1K
<b>30W</b>	4A9.000.Q1K
CCT SETTABLE E27 HIGHPOWER LED LAMP INCLUDED 3000K/4000K	
Pcs 12 Kg 22,5 mc 0,147	